



[Zoom in Picture](#)

### ■ Features

- 17.0" LC Display
- 1280 x 1024 Pixels
- Brightness 260 cd

## VS open frame 17.0" LC Display

Quick Link: | [Features](#) | [Specification](#) | [LCD](#) | [Environmental](#) | [Touchscreen optional](#) | [Power consumption](#) | [Ordering Information](#) |

### Construction

Heavy duty steel chassis with VESA 75/100mm standard screw holes

### Display

- Flat Panel 17.0" color TFT, 1280 x 1024
- Brightness 260cd
- optional Touch screen

[>Back to top](#)

### ■ Specification

#### Input signal

VGA, AV-in optional

#### Control

on rear panel

#### Power supply

external 48W DC 12V power adapter

#### OS Support

MS DOS, Windows 98/SE, WIN NT4.0, W2K, XP

#### Response Time

16ms Rising,

#### Viewing Angel

70° up to 70° L/R, 70° up to 70° U/D

#### Signal Connector

15-pin mini DSUB

#### Function Control

Brightness, Contrast, H/V Position, Color, Phase, Clock

[>Back to top](#)

### ■ LCD

#### Consumption

low driving voltage and low power consumption

#### Display type

17.0"

#### Light luminance

260cd

#### max Resolution

1280 x 1024

#### max Colors

16M colors

#### Response Time

16ms Rising

#### Backlight

CCFL, Horizontal lamp type

#### Pixel Pitch

0.297x0.297mm

#### Contrast Ratio

500/1

[>Back to top](#)

## ■ Environmental

<b>Operating Temp</b>	0°C to 45°C
<b>Storage Temp</b>	, -20°C to 60°C
<b>Vibration</b>	10-150Hz, 0.15mm
<b>Shock</b>	30G peak acceleration, 11ms. duration

[>Back to top](#)

## ■ Touchscreen optional

<b>Type</b>	analog resistive
<b>Resolution</b>	continuous
<b>Light transmission</b>	79% or more
<b>Controller</b>	RS232 interface

[>Back to top](#)

## ■ Power consumption

<b>Software Driver</b>	support Win 98, NT, 2000, ME, XP
<b>Lifetime</b>	100 million times
<b>Dimension</b>	428.6 x 342.6 x 50mm
<b>Weight</b>	ca. 5,5kg
<b>Certification</b>	CE


[>Back to top](#)

## ■ Ordering Information

<b>Art.No</b>	3114
<b>Product Name</b>	VS OPM-17 LC Display
<b>Packing list</b>	Open frame Displays includes LCD Panel, external Power Adapter, Power Cord
<b>Versions:</b>	OPM 17T with Touchscreen

[>Back to top](#)

## ■ Full size product image



- |                |                |
|----------------|----------------|
| 1•Power switch | 7•Power Switch |
| 2•USB Touch-In | 8•Menu         |
| 3•Com Touch-In | 9•SEL          |
| 4•VGA          | 10•SEL         |
| 5•DC•12•in     | 11•Enter       |
| 6•VGA•Audio•In |                |